IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): An apparatus for processing an image, said apparatus comprising:

motion vector detection means for detecting a motion vector about a moving object that moves in multiple images, each of the multiple images being made up of multiple pixels and acquired by an image sensor having time integration effects, and tracking the moving object;

motion-blurring-mitigated object image generation means for generating a motion-blurring-mitigated object image in which motion blurring occurred in the moving object in each image of the multiple images is mitigated by using the motion vector detected by the motion vector detection means; and

output means for combining the motion-blurring-mitigated object image that is generated in the motion-blurring-mitigated object image generation means into a space-time location [[,]] in each image based on ~~, corresponding to~~ the motion vector~~, said motion vector being~~ detected by the motion vector detection means, to output it as a motion-blurring-mitigated image.

Claim 2 (Original): The apparatus for processing the image according to claim 1, wherein the motion vector detection means sets a target pixel corresponding to a location of the moving object in any one of at least a first image and a second image, which are sequential in terms of time, and detects a motion vector corresponding to the target pixel by using the first and second images; and

wherein the output means combines the motion-blurring-mitigated object image into a location of the target pixel in said one of the images or a location corresponding to the target pixel in the other image, said locations corresponding to the detected motion vector.

Claim 3 (Original): The apparatus for processing the image according to claim 1, wherein in a processing region of the image, the motion-blurring-mitigated object image generation means turns into a model so that a pixel value of each pixel in which no motion blurring corresponding to the moving object occur becomes a value obtained by integrating the pixel value in a time direction with the pixel being moved corresponding to the motion vector and generates a motion-blurring-mitigated object image in which motion blurring of the moving object included in the processing region is mitigated, based on the pixel value of the pixel in the processing region.

Claim 4 (Original): The apparatus for processing the image according to claim 3, wherein the motion-blurring-mitigated object image generation means includes:

region identification means for identifying a foreground region, a background region, and a mixed region in the processing region, said foreground region being composed of only a foreground object component constituting a foreground object which is moving object, said background region being composed of only a background object component constituting a background object, and said mixed region mixing the foreground object component and the background object component;

mixture ratio detection means for detecting a mixture ratio of the foreground object component and the background object component in the mixed region;

separation means for separating at least a part of region of the image into the foreground object and the background object, based on the mixture ratio; and

motion-blurring-adjusting means for mitigating motion blurring of the foreground

object separated by the separation means based on the motion vector.

Claim 5 (Original): The apparatus for processing the image according to claim 3,

wherein the motion vector detection means detects the motion vector every pixel in the

image; and

wherein the motion-blurring-mitigated object image generation means sets the

processing region according to the motion vector of the target pixel in the image so that the

processing region includes the target pixel, and outputs pixel value in which motion blurring

of the target pixel is mitigated in pixel units based on the motion vector of the target pixel.

Claim 6 (Original): The apparatus for processing the image according to claim 1,

further comprising expanded image generation means for generating an expanded image

based on the motion-blurring-mitigated image,

wherein the output means outputs the expanded image to a location corresponding to

the motion vector in a time direction.

Claim 7 (Currently Amended): The apparatus for processing the image according to

claim 6, wherein the expanded image generation means includes:

class determination means for extracting multiple pixels corresponding to a target

pixel in the expanded image as a class tap from the motion-blurring-mitigated image and

determining a class corresponding to the target pixel based on a pixel value of the extracted

multiple pixels class tap;

storage means for storing predictive coefficients each for predicting a target pixel

from multiple pixels in a first image, said multiple pixels corresponding to a target pixel in a

second image, said predictive coefficients being obtained by learning between the first and

second images every class, said first image having number of pixels corresponding to the

motion-blurring-mitigated image, and said second image having number of pixels more than

that of the first image; and

predictive value generation means for detecting the predictive coefficients each

corresponding to the class detected by the class detection means from the storage means,

extracting the multiple pixels corresponding to the target pixel in the expanded image as a

predictive tap from the motion-blurring-mitigated image, and generating a predictive value

corresponding to the target pixel according to one-dimensional linear combination of the

predictive coefficients detected from the storage means and the predictive tap.

Claim 8 (Currently Amended): A method for processing an image, said method

comprising:

motion-vector-detecting step of detecting a motion vector about a moving object that

moves in multiple images, each of the multiple images being made up of multiple pixels and

acquired by an image sensor having time integration effects, and tracking the moving object;

motion-blurring-mitigated-object-image-generating step of generating a motion-

blurring-mitigated object image in which motion blurring occurred in the moving object in

each image of the multiple images is mitigated by using the motion vector detected in the

motion-vector-detecting step; and

output step of combining the motion-blurring-mitigated object image that is generated

in the motion-blurring-mitigated-object-image-generating step into a space-time location[[,]]

in each image, corresponding to based on the motion vector, said motion vector being

detected in the motion-vector-detecting step, to output it as a motion-blurring-mitigated

image.

6

Claim 9 (Original): The method for processing the image according to claim 8, wherein the motion-vector-detecting step sets a target pixel corresponding to a location of the moving object in any one of at least a first image and a second image, which are sequential in terms of time, and detects a motion vector corresponding to the target pixel by using the first and second images; and

wherein the output step combines the motion-blurring-mitigated object image into a location of the target pixel in said one of the images or a location corresponding to the target pixel in the other image, said locations corresponding to the detected motion vector.

Claim 10 (Original): The method for processing the image according to claim 8, wherein in a processing region of the image, the motion-blurring-mitigated-object-image-generating step turns into a model so that a pixel value of each pixel in which no motion blurring corresponding to the moving object occur becomes a value obtained by integrating the pixel value in a time direction with the pixel being moved corresponding to the motion vector and generates a motion-blurring-mitigated object image in which motion blurring of the moving object included in the processing region is mitigated, based on the pixel value of the pixel in the processing region.

Claim 11 (Original): The method for processing the image according to claim 10, wherein the motion-blurring-mitigated-object-image-generating step includes:

region identification step of identifying a foreground region, a background region, and a mixed region in the processing region, said foreground region being composed of only a foreground object component constituting a foreground object which is moving object, said background region being composed of only a background object component constituting a

background object, and said mixed region mixing the foreground object component and the

background object component;

mixture-ratio-detecting step of detecting a mixture ratio of the foreground object

component and the background object component in the mixed region;

separation step of separating at least a part of region of the image into the foreground

object and the background object, based on the mixture ratio; and

motion-blurring-adjusting step of mitigating motion blurring of the foreground object

separated in the separation step based on the motion vector.

Claim 12 (Original): The method for processing the image according to claim 10,

wherein the motion-vector-detecting step detects the motion vector every pixel in the image;

and

wherein the motion-blurring-mitigated-object-image-generating step sets the

processing region according to the motion vector of the target pixel in the image so that the

processing region includes the target pixel, and outputs pixel value in which motion blurring

of the target pixel is mitigated in pixel units based on the motion vector of the target pixel.

Claim 13 (Original): The method for processing the image according to claim 8,

further comprising expanded-image-generating step of generating an expanded image based

on the motion-blurring-mitigated image,

wherein in the output step, the expanded image is output to a location corresponding

to the motion vector in a time direction.

Claim 14 (Currently Amended): The method for processing the image according to

claim 13, wherein the expanded-image-generating step includes:

class-determining step of extracting multiple pixels corresponding to a target pixel in the expanded image ~~as a class tap~~ from the motion-blurring-mitigated image and determining a class corresponding to the target pixel based on a pixel value of the <u>extracted multiple pixels</u> ~~class tap~~;

storing step of storing predictive coefficients each for predicting a target pixel from multiple pixels in a first image, said multiple pixels corresponding to a target pixel in a second image, said predictive coefficients being obtained by learning between the first and second images every class, said first image having number of pixels corresponding to the motion-blurring-mitigated image, and said second image having number of pixels more than that of the first image; and

predictive-value-generating step of detecting, in the storing step, the predictive coefficients each corresponding to the class detected in the class-detecting step, extracting the multiple pixels corresponding to the target pixel in the expanded image as a predictive tap from the motion-blurring-mitigated image, and generating a predictive value corresponding to the target pixel according to one-dimensional linear combination of the predictive coefficients detected in the storing step and the predictive tap.

Claim 15 (Currently Amended): A computer-readable memory including a program for allowing a computer to perform a method for processing an image, comprising:

detecting a motion vector about a moving object that moves in multiple images, each of the multiple images being made up of multiple pixels and acquired by an image sensor having time integration effects, and tracking the moving object;

generating a motion-blurring-mitigated object image in which motion blurring occurred in the moving object in each image of the multiple images is mitigated by using the motion vector; and

combining the motion-blurring-mitigated object image into a space-time location[[,]] in each image, corresponding to based on the detected motion vector to output it as a motion-blurring-mitigated image.

Claim 16 (Currently Amended): An apparatus for processing an image, said apparatus comprising:

a detector configured to detect a motion vector about a moving object that moves in multiple images, each of the multiple images being made up of multiple pixels and acquired by an image sensor having time integration effects, and configured to track the moving object;

a processor configured to generate a motion-blurring-mitigated object image in which motion blurring occurred in the moving object in each image of the multiple images is mitigated by using the motion vector; and

an output section configured to combine the motion-blurring-mitigated object image into a space-time location[[,]] in each image, corresponding to based on the motion vector detected at the detector, to output it as a motion-blurring-mitigated image.

Claim 17 (New): The apparatus for processing the image according to claim 1, wherein the output means combines the motion-blurring-mitigated object image into a space-time location in a subsequent image, for which the motion-blurring-mitigated object image is not generated, based on the motion vector detected by the motion vector detection means, to output it as a motion-blurring-mitigated image.

Claim 18 (New): The method for processing the image according to claim 8, wherein the output step combines the generated motion-blurring-mitigated object image into a space-

time location in a subsequent image, for which the motion-blurring-mitigated object image is not generated, based on the motion vector detected in the motion-vector-detecting step, to output it as a motion-blurring-mitigated image.

Claim 19 (New): The computer-readable memory according to claim 15, further comprising:

combining the motion-blurring-mitigated object image into a space-time location in a subsequent image, for which the motion-blurring-mitigated object image is not generated, based on the detected motion vector to output it as a motion-blurring-mitigated image.

Claim 20 (New): The apparatus for processing an image according to Claim 16, wherein the output section is configured to combine the motion-blurring-mitigated object image into a space-time location in a subsequent image, for which the motion-blurring-mitigated object image is not generated, based on the motion vector detected at the detector, to output it as a motion-blurring-mitigated image